

CURIOSITY





MATERIC DREAM

Inspiration

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





TACTILE EXPERIENCE



Inspiration

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





AN IMAGINARY DIALOGUE



THE ART OF RELIEFS



Inspiration

INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO






TIMELESS COLORS

The Collection

↔ Villa In&Out



↔ Luxury Store



↔ Living



↔ Hotel Suite



↔ Hotel Restaurant



↔ Penthouse



↔ Home Bathroom




THE COLLECTION >

- VILLA IN&OUT
- LUXURY STORE
- LIVING
- HOTEL SUITE
- HOTEL RESTAURANT
- PENTHOUSE
- HOME BATHROOM

SURFACE RANGE & TECHNICAL SPECS

ENJOY THE VIDEO



OUTDOOR FLOOR
Curiosity
Ice
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

Elemento L
Ice
Outdoor Sensitech $\pm$ 20mm
33x120 cm | 13"x47 $\frac{1}{4}$ "

OUTDOOR WALL
Curiosity
Ice
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

Haze
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



INDEX 

INSPIRATION 

THE COLLECTION 

VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS 

ENJOY
THE VIDEO 

VILLA IN&OUT




FLOOR
**Curiosity
Ice**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
3D Loop Ice**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

OUTDOOR FLOOR
**Curiosity
Ice**
Outdoor Sensitech ✕ 20mm
120x120 cm | 47¹/₄"x47¹/₄"

OUTDOOR WALL
**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
**Curiosity
Ice**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
3D Loop Ice**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"





INDOOR FLOOR
**Curiosity
Ice**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

INDOOR WALL
**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

OUTDOOR FLOOR
**Curiosity
Ice**
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47¹/₄"x47¹/₄"

Elemento L
Ice
Outdoor Sensitech $\pm$ 20mm
33x120 cm | 13"x47¹/₄"

OUTDOOR WALL
**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX 

INSPIRATION 

THE COLLECTION 

VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS 

ENJOY
THE VIDEO 

INDEX



INSPIRATION



THE COLLECTION



VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR

**Curiosity
Ice**

Matte Sensitech

120x120 cm | 47¹/₄"x47¹/₄"

WALL

**Curiosity
Grain Glow**

Matte

50x120 cm | 19⁵/₈"x47¹/₄"





FLOOR
**Curiosity
Ice**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Grain Glow**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
3D Loop Ice**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



FLOOR
**Curiosity
Tan**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Sienna**
3D Flute Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Sienna**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
**Curiosity
Camel**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

LUXURY STORE



FLOOR
Curiosity
Tan
Matte Sensitech
120x120 cm | 47⁵/₄"x47¹/₄"

WALL
Curiosity
3D Flute Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Curiosity
Sienna
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Curiosity
Camel
Matte
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
**Curiosity
Tan**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
3D Flute Glow**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Glow**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX



INSPIRATION



THE COLLECTION



VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Curiosity
Shell**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Mosaico Ellipse Glow**
Matte Sensitech 37x37,8
cm | 14³/₅"x14⁷/₈"



LIVING

INDEX



INSPIRATION



THE COLLECTION



VILLA IN&OUT
LUXURY STORE
LIVING

HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





FLOOR
**Curiosity
Shell**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Shell**
Matte
120x278 cm | 47¹/₄"x109¹/₂"



FLOOR
**Curiosity
Shell**
Matte Sensitech 120x120
cm | 47 1/4"x47 1/4"

WALL
**Curiosity
Shell**
Matte
120x278 cm | 47 1/4"x109 1/2"



FLOOR
Curiosity
Camel
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"



WALL
Curiosity
Shell
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Curiosity
Grain Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Curiosity
3D Flute Shell
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



HOTEL SUITE



FLOOR
**Curiosity
Camel**
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
3D Flute Shell**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Shell**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Curiosity
Grain Glow**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

BEDHEAD
**Atlas Plan Boost Icor
Dune**
Hammered
162x324 cm | 63³/₄"x127¹/₂"

FURNITURE
**Curiosity
Grain Glow**
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Shell**
120x278 cm | 47¹/₄"x109¹/₂"



WALL
Curiosity
3D Flute Shell
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Curiosity
Grain Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

WALL
Curiosity
Shell
Matte
120x278 cm | 47¹/₄"x109¹/₂"

Curiosity
Grain Glow
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



INDEX



INSPIRATION



THE COLLECTION



VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
**Curiosity
Grain Shell**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Shell**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Curiosity
3D Flute Shell**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FLOOR
Curiosity Camel
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"



SINK | **EVOLUZIONE - DUO**
Atlas Concorde Habitat
Curiosity Shell Matte
Rectangular Basin White
180x45x12 cm |
70⁷/₈"x17³/₄"x4³/₄"

SHELF | **ESSENZA - THIN**
Atlas Concorde Habitat
Curiosity Shell Matte
180x35x5 cm | 70⁷/₈"x13³/₄"x2



FLOOR
Curiosity Camel
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Curiosity Grain Shell
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

FURNITURE
Curiosity Shell
Matte
120x278 cm | 47¹/₄"x109¹/₂"

INDEX 

INSPIRATION 

THE COLLECTION 

- VILLA IN&OUT
- LUXURY STORE
- LIVING
- HOTEL SUITE
- HOTEL RESTAURANT
- PENTHOUSE
- HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS 

ENJOY
THE VIDEO 



FLOOR
**Curiosity
Haze**
Matte Sensitech
120x120 cm | 47 1/4"x47 1/4"

WALL
**Curiosity
Duo Haze**
Matte
120x278 cm | 47 1/4"x109 1/2"

**Curiosity
Ice**
Matte
120x278 cm | 47 1/4"x109 1/2"



HOTEL RESTAURANT



FLOOR
**Curiosity
Haze**
Matte Sensitech 120x120
cm | 47 1/4" x 47 1/4"

WALL
**Curiosity
Duo Haze**
Matte
120x278 cm | 47 1/4" x 109 1/2"

**Curiosity
Ice**
Matte
120x278 cm | 47 1/4" x 109 1/2"




FLOOR

**Curiosity
Haze**
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"

WALL

**Curiosity
Duo Haze**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"




FLOOR
**Curiosity
Carbon**
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Grain Glow**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

COUNTER
**Curiosity
3D Flute Ice**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"



INDEX 

INSPIRATION 

THE COLLECTION 

- VILLA IN&OUT
- LUXURY STORE
- LIVING
- HOTEL SUITE
- HOTEL RESTAURANT
- PENTHOUSE
- HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS 

ENJOY
THE VIDEO 



OUTDOOR FLOOR
Curiosity
Haze
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47¹/₄"x47¹/₄"

OUTDOOR WALL
Curiosity
Haze
Matte
120x278 cm | 47¹/₄"x109¹/₂"

OUTDOOR COUNTER
Curiosity
Haze
Matte
120x278 cm | 47¹/₄"x109¹/₂"



PENTHOUSE



INDEX



INSPIRATION



THE COLLECTION



VILLA IN&OUT
LUXURY STORE
LIVING
HOTEL SUITE
HOTEL RESTAURANT
PENTHOUSE
HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



FLOOR
Curiosity
Haze
Outdoor Sensitech $\pm$ 20mm
120x120 cm | 47 $\frac{1}{4}$ "x47 $\frac{1}{4}$ "

WALL
Curiosity
Haze
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "

OUTDOOR COUNTER
Curiosity
Haze
Matte
120x278 cm | 47 $\frac{1}{4}$ "x109 $\frac{1}{2}$ "



FLOOR

Curiosity
Haze
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"

WALL

Curiosity
Mosaico Circle Carbon
Matte Sensitech 32x32
cm | 12³/₅"x12³/₅"

Curiosity
Haze
Matte
120x278 cm | 47¹/₄"x109¹/₂"

COUNTERTOP

Atlas Plan
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"

FURNITURE

Atlas Plan
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"

INDEX



INSPIRATION



THE COLLECTION



- VILLA IN&OUT
- LUXURY STORE
- LIVING
- HOTEL SUITE
- HOTEL RESTAURANT
- PENTHOUSE
- HOME BATHROOM

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





WALL
Curiosity
Mosaico Ellipse Ice
Matte Sensitech 32x32
cm | 14³/₅"x14⁷/₈"

SHELF
Curiosity
Ice
Matte
120x278 cm | 47¹/₄"x109¹/₂"

FLOOR
Curiosity
Haze
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"



- VILLA IN&OUT
- LUXURY STORE
- LIVING
- HOTEL SUITE
- HOTEL RESTAURANT
- PENTHOUSE
- HOME BATHROOM



FLOOR
Curiosity
Haze
Matte Sensitech 120x120
cm | 47¹/₄"x47¹/₄"

WALL
Curiosity
Mosaico Circle Carbon
Matte Sensitech 32x32
cm | 12³/₅"x12³/₅"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"

FURNITURE
Atlas Plan
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"



WALL
Curiosity Mosaico Circle
Camel Matte Sensitech
32x32 cm | 12³/₅"x12³/₅"

Curiosity Mosaico Circle
Carbon Matte Sensitech
32x32 cm | 12³/₅"x12³/₅"

COUNTERTOP
Atlas Plan
Boost Mineral Grey
162x324 cm | 63³/₄"x127¹/₂"





FLOOR
**Curiosity
Ice**
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
**Curiosity
Life Olive**
Designed by Atlas Concorde
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Ice**
Matte
120x278 cm | 47¹/₄"x109¹/₂"

**Curiosity
Olive**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



HOME BATHROOM

FLOOR
Curiosity Ice
Matte Sensitech
120x120 cm | 47¹/₄"x47¹/₄"

WALL
Curiosity Olive
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

Curiosity Ice
Matte
120x278 cm | 47¹/₄"x109¹/₂"

SINK | ESSENZA - UP
Atlas Concorde Habitat Curiosity Ice Matte 65x50x15 cm | 25⁵/₈"x 19⁵/₈"x5⁷/₈"

TOP | ESSENZA - LEVEL
Atlas Concorde Habitat Curiosity Ice Matte 240x50x15 cm | 94¹/₂"x 19⁵/₈"x5⁷/₈"

SHELF | ESSENZA - THIN
Atlas Concorde Habitat Curiosity Ice Matte 240x35x5 cm | 94¹/₂"x15³/₄"x2"





WALL
**Curiosity
Life Olive**
Designed by Atlas Concorde
Matte
50x120 cm | 19⁵/₈"x47¹/₄"

**Curiosity
Olive**
Matte
50x120 cm | 19⁵/₈"x47¹/₄"



SURFACE RANGE & TECHNICAL SPECIFICATIONS

- ◇ CURIOSITY RANGE
- ◇ SENSITECH
- ◇ TECHNICAL SPECIFICATIONS

Porcelain tiles

PORCELAIN TILES - Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Floor Wall Bathroom furniture			Glow	Shell	Camel	Tan	Ice	Haze	Carbon
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ "	± 6 mm		Matte	Matte	Matte	Matte	Matte	Matte	
120x278 cm - 47 ¹ / ₄ "x109 ¹ / ₂ " Duo	± 6 mm				Matte ⁽¹⁾			Matte ⁽²⁾	
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
30x60 cm - 11 ³ / ₄ "x23 ⁵ / ₈ "	± 9 mm		Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech	Matte Sensitech
Outdoor									
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 9 mm		Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	Grip Sensitech	
120x120 cm - 47 ¹ / ₄ "x47 ¹ / ₄ "	± 20 mm			Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	
80x80 cm - 31 ¹ / ₂ "x31 ¹ / ₂ "	± 20 mm			Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	
60x120 cm - 23 ⁵ / ₈ "x47 ¹ / ₄ "	± 20 mm			Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	
60x60 cm - 23 ⁵ / ₈ "x23 ⁵ / ₈ "	± 20 mm			Outdoor Sensitech			Outdoor Sensitech	Outdoor Sensitech	

⁽¹⁾ Duo Camel presents a combination of colors from this collection - Camel and Glow. Duo Camel abbina i colori di collezione Camel e Glow.
⁽²⁾ Duo Haze presents a combination of colors from this collection - Haze and Ice. Duo Haze abbina i colori di collezione Haze e Ice.

Wall tiles

WALL TILES - Rivestimenti - Revêtements - Wandfliesen - Revestimientos - Настенная плитка
RECTIFIED MONOCALIBER - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре

Wall			Glow	Shell	Ice	Sienna	Olive	Cyan
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ "	± 8,5 mm		Matte	Matte	Matte	Matte	Matte	Matte
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Grain	± 10 mm		Matte	Matte				
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Flute	± 10 mm		Matte	Matte	Matte			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " 3D Loop	± 10 mm		Matte	Matte	Matte			
50x120 cm - 19 ⁵ / ₈ "x47 ¹ / ₄ " Life	± 8,5 mm			Matte		Matte	Matte	

Sensitech pag.89

Destination of use

- M

Matte ± 6 mm
- H

Matte Sensitech ± 9 mm
Grip Sensitech ± 9 mm
Outdoor Sensitech ± 20 mm

Anti-slip

- R9 A Matte ± 6 mm
R10 A+B Matte Sensitech ± 9 mm
R11 C Grip Sensitech ± 9 mm
R11 C Outdoor Sensitech ± 20 mm

Color-shading

- V2 Slight Variation

All colors



INDEX



INSPIRATION



THE COLLECTION



SURFACE
RANGE &
TECHNICAL
SPECS



CURIOSITY RANGE
SENSITECH
TECHNICAL SPECIFICATIONS

ENJOY
THE VIDEO



GLOW

SHELL

CAMEL

TAN

ICE

HAZE

CARBON



Porcelain tiles - Rectified monocaliber

Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group BII
Compliant with standards ISO 13006 annex L group BII
Conforme alla norma EN 14411 Appendice G gruppo BII
Conforme alla norma ISO 13006 Appendice G gruppo BII

120x278 cm - 47 1/4" x 109 1/2"
120x120 cm - 47 1/4" x 47 1/4"
80x80 cm - 31 1/2" x 31 1/2"
60x120 cm - 23 3/8" x 47 1/4"
60x60 cm - 23 3/8" x 23 3/8"
30x60 cm - 11 1/4" x 23 3/8"

± 6 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm
± 9 mm



Wall tiles - Rectified monocaliber

Rivestimento - Rettificato monocalibro

Compliant with standards EN 14411 annex L group BII
Compliant with standards ISO 13006 annex L group BII
Conforme alla norma EN 14411 Appendice L gruppo BII
Conforme alla norma ISO 13006 Appendice L gruppo BII

50x120 cm - 19 5/8" x 47 1/4"
50x120 cm - 19 5/8" x 47 1/4"

± 8,5 mm
± 10 mm

Technical features Caratteristiche tecniche		Test Method Metodo di prova	Requirements for nominal size N / Requisiti per dimensione nominale N			Porcelain tiles				
			7 cm ≤ N < 15 cm	N ≥ 15 cm		Matte ± 6 mm	Matte Sensitech ± 9 mm	Grip Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm	
	Length and width Lunghezza e larghezza	ISO 10545-2	(mm)	(%)	(mm)					
	Thickness Spessore		± 0.9 (*) Non-rect. ± 0.4 (*) Rect.	± 0.6 (*) Non-rect. ± 0.3 (*) Rect.	± 2.0 (*) Non-rect. ± 1.0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
	Straightness of sides Rettilineità degli spigoli		± 0.5 (**)	± 5 (**)	± 0.5 (**)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
	Rectangularity (Measurement only on short edges when L/l ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/l ≥ 3)		± 0.8 (***) Non-rect. ± 0.4 (***) Rect.	± 0.5 (***) Non-rect. ± 0.3 (***) Rect.	± 1.5 (***) Non-rect. ± 0.8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
	Surface flatness Planarità	ISO 10545-2	c.c. ± 0.8 Non-rect. c.c. ± 0.6 Rect.	c.c. ± 0.5 Non-rect. c.c. ± 0.4 Rect.	c.c. ± 2.0 Non-rect. c.c. ± 1.8 Rect.					
			e.c. ± 0.8 Non-rect. e.c. ± 0.6 Rect.	e.c. ± 0.5 Non-rect. e.c. ± 0.4 Rect.	e.c. ± 2.0 Non-rect. e.c. ± 1.8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	
			w. ± 0.8 Non-rect. w. ± 0.6 Rect.	w. ± 0.5 Non-rect. w. ± 0.4 Rect.	w. ± 2.0 Non-rect. w. ± 1.8 Rect.					
	Water absorption (in% by mass) Massa d'acqua assorbita (come % della massa)	ISO 10545-3	E _v ≤ 0.5% Individual Maximum 0.6% E _v ≤ 0.5% Valore massimo singolo 0.6%			≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	≤ 0.1 %	
		ASTM C373	Requirement ANSI A137.1 Water absorption max ≤ 0.5%			≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	≤ 0.5 %	
	Breaking strength Sforzo di rottura	ISO 10545-4	S ≥ 700N (for thickness < 7.5 mm - per spessore < 7.5 mm) S ≥ 1300N (for thickness ≥ 7.5 mm - per spessore ≥ 7.5 mm)			S ≥ 1000 N	S ≥ 1500 N	S ≥ 1500 N	S ≥ 10000 N	
	Modulus of rupture Resistenza alla flessione		R ≥ 35 N/mm ²			R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 40 N/mm ²	R ≥ 45 N/mm ²	
	Bending strength and breaking load Resistenza a flessione e al carico di rottura (4)(5)		-			-	-	-	-	
	Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0.55	≥ 0.55	≥ 0.55	≥ 0.55	
	Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-6	≤ 175 mm ³			≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	≤ 150 mm ³	
	Coefficient of thermal linear expansion Coefficiente di dilatazione termica lineare	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	≤ 7MK ⁻¹	
	Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-9	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
	Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-10	Declared value Valore dichiarato			≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	≤ 0.01% (0.1mm/m)	
	Frost resistance Resistenza al gelo	ISO 10545-12	Pass according to EN ISO 10545-1 Test superato in accordo con ISO 10545-1			Resistant Resiste	Resistant Resiste	Resistant Resiste	Resistant Resiste	
	Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	≥ 1.0 N/mm ² (Class C2 - EN 12004)	
	Reaction to fire Reazione al fuoco	-	Class A1 or A1 _l Classe A1 oppure A1 _l			A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	A1 - A1 _l	
	Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			A	A	A	A	
	Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali		Declared Class Classe dichiarata			LA	LA	LA	LA	
	Resistance to high concentrations of acids and alkalis Resistenza ad alte concentrazioni di acidi e alcali		Declared Class Classe dichiarata			HA	HA	HA	HA	
		Resistance to staining, for unglazed tiles Resistenza alle macchie per piastrelle non smaltate	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
	Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			R9		R11	R11	
	Barefoot Ramp Test Metodo della rampa a piedi nudi	DIN EN 16165 ANNEX A (EX DIN 51097)	Declared value Valore dichiarato			A	A+B	A+B+C	A+B+C	
		Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			(*)	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
			AS 4586	Declared Classification of the new pedestrian surface materials according to the Pendulum Test			(**)	Class P3	Class P4	Class P4
(1)(2)	Coefficient of friction (COF) Coefficiente di attrito	UNE EN 16165 ANNEX C (EX UNE 41901 EX 2017)	Declared value Valore dichiarato			(***)	Class C2	Class C3	Class C3	
		B.C.R.A. Rep. CEC/81	D.M. 236/89 del 14/06/89 μ > 0,40 per elemento scivolante cuoio su pavimentazione asciutta μ > 0,40 per elemento scivolante gomma dura su pavimentazione bagnata			> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	> 0,40 Asciutto > 0,40 Bagnato	
		ANSI A 326.3	-			dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55	wet DCOF ≥ 0,55	

(*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di fabbricazione (WS).
(**) The permissible deviation, in % or mm, of the average thickness for each tile from the work size thickness (WS). Deviazione ammissibile, in % oppure mm, dello spessore medio di ogni piastrella dallo spessore riportato nella dimensione di fabbricazione (WS).
(***) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(****) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(c.c.) The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(e.c.) The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.
(w.) The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello svergolamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).
(1) Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.
(2) Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto.
(4) For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.
(5) Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore.
(*) PTV ≥ 36 Wet on demand / su richiesta (**) P3 on demand / su richiesta (*** C2 on demand / su richiesta

Note

For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist. - Per le informazioni e i dati relativi a codici, imballaggi e pesi occorre sempre consultare l'ultimo listino aggiornato e in vigore. - Pour toutes informations et renseignements concernant les codes, les emballages et les poids, il y a toujours lieu de consulter le dernier tarif en vigueur et mis à jour. - Für Informationen und Daten die den Code, die Verpackung und das Gewicht betreffen bitte die aktuellste Preisliste zugrunde legen. - Para acceder a la información y a los datos relativos a códigos, embalajes y pesos hay que consultar siempre la última lista de precios actualizada y vigente. - Для информации о кодах, упаковках и весе обращайтесь к последнему действующему прайс-листу.

Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. - I colori e le caratteristiche estetiche dei materiali illustrati nel presente catalogo sono da ritenersi puramente indicativi. - Les coloris et les caractéristiques esthétiques des références illustrées dans le catalogue sont donnés à titre purement indicatif. - Die Farben und die ästhetischen Eigenschaften der in diesem Katalog abgebildeten Produkte sind als reine Richtwerte zu betrachten. - Los colores y las características estéticas de los materiales ilustrados en el presente catálogo deben ser considerados como puramente indicativos. - Цвета и эстетические характеристики описанных в настоящем каталоге материалов являются только ориентировочными.

Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. - Atlas Concorde si riserva di modificare i prodotti senza preavviso, declinando ogni responsabilità su eventuali danni diretti o indiretti derivanti da eventuali modifiche. - Atlas Concorde se réserve le droit de modifier ses produits sans préavis et décline toute responsabilité concernant les éventuels dommages directs ou indirects qui pourraient dériver de ces modifications. - Atlas Concorde behält sich das Recht vor jederzeit und ohne vorherige Ankündigung, die Produkte zu verändern, und lehnt jede Haftung bei direkten oder indirekten Schäden ab, die von diesen Veränderungen herrühren. - Atlas Concorde se reserva el derecho de modificar los productos sin previo aviso, rechaza cualquier responsabilidad sobre eventuales daños directos o indirectos derivados de eventuales modificaciones. - Atlas Concorde оставляет за собой право изменять характеристики изделий без предварительного уведомления, отклоняя при этом любую ответственность за прямые или косвенные убытки, возникшие в результате изменений.

INDEX



INSPIRATION



THE COLLECTION



SURFACE RANGE & TECHNICAL SPECS



CURIOSITY RANGE SENSITECH

TECHNICAL SPECIFICATIONS

ENJOY THE VIDEO

