

MADE IN ITALY. MADE TO EXCEL.

DUALITY



Diamond decor designed by
Zaha Hadid Architects

MARBLE LOOK

PORCELAIN TILES
GRES PORCELLANATO
Grès cérame
Feinsteinzeug
Gres porcelánico K
ерамический гранит

Atlas Concorde is one of the leading global brands in the production of ceramic tiles and large slabs for design and architecture. With over 50 years of history, two production plants, and numerous showroom in the capitals of international design, Atlas Concorde offers integrated and sustainable ceramic systems for floors, walls, outdoor spaces, worktops, bathroom furnishings, facades and special projects. Design your world with Atlas Concorde.

Atlas Concorde è uno dei principali brand mondiali nella produzione di superfici e grandi lastre ceramiche per il design e l'architettura. Con oltre cinquant'anni di storia, due stabilimenti produttivi, numerose showroom nelle capitali della progettazione internazionale, offriamo sistemi ceramici integrati e sostenibili per pavimenti, rivestimenti, outdoor, piani di lavoro, arredo bagno, facciate e progetti speciali. Design your world with Atlas Concorde.

atlasconcorde.com

DUALITY

Index

- ⇄ Inspiration
- ⇄ Diamond decor designed by Zaha Hadid Architects
- ⇄ Image gallery
- ⇄ Surface range & Technical specifications

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Duality Yang

Infinite present.



INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Matte
Sensitech



Velvet
Velvtech

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY




SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Polished



Hammered

Sensitech

✂ 9 mm Matte 20

✂mm Outdoor

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO





Diamond decor designed by
Zaha Hadid Architects

© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited.

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Zaha Hadid Architects



DIAMOND DECOR CONCEPT

“ZHA contaminates a classic mosaic with a disrupting element. A foreign body into a crystalline structure which gives an unsuspected dynamism”.

Paolo Zilli
ASSOCIATE DIRECTOR
Zaha Hadid Architects

ZHA is a British architectural firm founded in 1980 by Zaha Hadid, a naturalized British-born Iraqi architect and designer, the leading and foremost exponent of deconstructivism. | ZHA è lo studio di architettura britannico fondato nel 1980 da Zaha Hadid, architetta e designer irachena naturalizzata britannica, capofila e massima esponente del decostruttivismo.



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited.

[INDEX](#)[INSPIRATION](#)[DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS](#)[IMAGE
GALLERY](#)[SURFACE
RANGE &
TECHNICAL
SPECS](#)[ENJOY THE
VIDEO](#)



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited.



© Copyright Zaha Hadid Limited 2023 manufactured by Ceramiche Atlas Concorde under license from Zaha Hadid Limited.

Optimism for the future, the continuous pursuit of excellence, and a strong international presence are the common values that gave rise to the partnership between Zaha Hadid Architects and Atlas Concorde. | Ottimismo per il futuro, continua ricerca di eccellenza e forte presenza internazionale sono i valori comuni che hanno dato vita alla collaborazione tra Zaha Hadid Architects e Atlas Concorde.

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO



Image Gallery

Living Room & Dining
Duality Yang | Silver Majestic



Private Bathroom
Duality Yang



Penthouse
Grigio Elegante | Calacatta Bernini



Hotel Bathroom
Grigio Elegante | Duality Yin



Villa
Calacatta Bernini



Boutique
Duality Yang | Duality Yin



Hotel Lobby & Bar
Silver Majestic | Duality Yin



Corporate Building
Duality Yang | Silver Majestic



Museum Hall
Calacatta Bernini



INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
DINING PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





FLOOR
Duality Yang
Polished
120x240 cm | 47 1/4"x94 1/2"

WALL
Duality Yang
Polished 120x278 cm |
47 1/4"x109 1/2"

Duality Yang | Silver Majestic
Polished
120x278 cm |
47 1/4"x109 1/2"
SIDE TABLE | Contatto
Atlas Concorde Habitat
Duality Yang
Silk ø 70 cm |
27 1/2"

COUNTERTOP
Atlas Plan
Duality Yang
Polished
162x324 cm | 63 3/4"x127 1/2"

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO



Duality Yang



Duality Yang

Polished

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





^
SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Duality Yang Silk ø 70
cm | 27 1/2"

>
SIDE TABLE | **Contatto**
Atlas Concorde Habitat
Nero Duality Yin
Polished ø 70
cm | 27 1/2"

FLOOR **Marvel**
Meraviglia
Duality Yang
Polished
120x240 cm | 47 1/4"x94 1/2"

WALL **Marvel**
Meraviglia
Duality Yang
Polished
120x278 cm | 47 1/4"x109 1/2"



INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





FLOOR
Duality Yang
Polished
120x240 cm | 47 1/4"x94 1/2"

FLOOR - OUTDOOR
Duality Yang Hammered
Outdoor Sensitech ✖ 20mm
60x120 cm | 23 5/8"x47 1/4"

WALL **Marvel Meraviglia Silver Majestic**
Polished
120x278 cm | 47 1/4"x109 1/2"

COUNTERTOP
Atlas Plan Duality Yang
Polished
162x324 cm | 63 3/4"x127 1/2"

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





Duality Yang

Hammered

Image gallery

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM & DINING
PRIVATE BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE
BUILDING MUSEUM
HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





Image gallery

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM & DINING
PRIVATE BATHROOM
PENTHOUSE
HOTEL BATHROOM
VILLA
BOUTIQUE
HOTEL LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
DINING PRIVATE
BATHROOM
PENTHOUSE HOTEL
VILLA
BOUTIQUE HOTEL
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM &
DINING PRIVATE
BATHROOM
PENTHOUSE HOTEL
BATHROOM VILLA
BOUTIQUE
LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





Duality Yin

Polished

INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM & DINING
PRIVATE BATHROOM
PENTHOUSE
HOTEL BATHROOM
VILLA
BOUTIQUE
HOTEL LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM & DINING
PRIVATE BATHROOM
PENTHOUSE
HOTEL BATHROOM
VILLA

CORPORATE
BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY THE
VIDEO





Duality Yin



INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



LIVING ROOM & DINING
PRIVATE BATHROOM
PENTHOUSE
HOTEL BATHROOM
VILLA
BOUTIQUE
HOTEL LOBBY & BAR
CORPORATE BUILDING
MUSEUM HALL

SURFACE
RANGE &
TECHNICAL
SPECS



ENJOY
THE VIDEO







Surface range & Technical specifications

- ◇ PORCELAIN TILES: A SAFE CHOICE
- ◇ MARVEL MERAVIGLIA RANGE
- ◇ SENSITECH TECHNOLOGY
- ◇ DUALITY WORLD
- ◇ TECHNICAL SPECIFICATIONS

INDEX	≡
INSPIRATION	>
DIAMOND DECOR DESIGNED BY ZAHA HADID ARCHITECTS	>
IMAGE GALLERY	>
SURFACE RANGE & TECHNICAL SPECS	>
SAFE CHOICE RANGE DIAMOND DECOR DESIGNED BY ZAHA HADID ARCHITECTS SENSITECH TECHNOLOGY MARVEL WORLD TECHNICAL SPECIFICATIONS & CERTIFICATIONS	
ENJOY THE VIDEO	▶

Porcelain tiles

PORCELAIN TILES- Gres Porcellanato - Grès cérame - Feinsteinzeug - Gres porcelánico - Керамический гранит **RECTIFIED MONOCALIBER** - Rettificato monocalibro - Rectifié mono-calibre - Geschliffen einkalibrig - Rectificado monocalibre - Ретифицированный в одном калибре



	Polished	Polished			
160x320* cm - 63⅜" x126" ± 6 mm	Polished	Polished			
120x278 cm - 47¼" x109½" ± 6 mm	Polished	Polished	Polished	Polished	Polished
120x240 cm - 47¼" x94½" ± 9 mm	Polished	Polished	Polished	Polished	Polished
120x120 cm - 47¼" x47¼" ± 9 mm	Polished Velvet	Polished Velvet	Polished Velvet	Polished Velvet	Polished Velvet
75x150 cm - 29½" x59" ± 9 mm	Polished	Polished	Polished		
75x75 cm - 29½" x29½" ± 9 mm	Polished	Polished	Polished		
60x120 cm - 23⅝" x47¼" ± 6 mm	Polished	Polished			
60x120 cm - 23⅝" x47¼" ± 9 mm	Polished Velvet Matte Sensitech Hammered Matte Sensitech	Polished Velvet Matte Sensitech Hammered Matte Sensitech	Polished Velvet Matte Sensitech	Polished Velvet Matte Sensitech Hammered Matte Sensitech	Polished Velvet Matte Sensitech
60x60 cm - 23⅝" x23⅝" ± 9 mm	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech
30x60 cm - 11¾" x23⅝" ± 9 mm	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech	Polished Matte Sensitech



Outdoor					
60x120 cm - 23⅝" x47¼" ± 20 mm	Hammered Outdoor Sensitech	Hammered Outdoor Sensitech		Hammered Outdoor Sensitech	




Countertops					
162x324* cm - 63⅜" x127½" ± 12 mm > Non rectified Non rettificato	Polished Silk	Polished Silk			
159x324* cm - 62⅝" x127½" > Non rectified Non rettificato NATURA VEIN TECH		Polished Matte			
	Also available in bookmatch	Also available kit endless			

Destination of use Color-shading



Anti-slip



V3 Moderate Variation
All colors



INDEX
INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE
RANGE &
TECHNICAL
SPECS



SAFE CHOICE
RANGE
DESIGNED BY ZAHA HADID
ARCHITECTS SENSITECH
TECHNOLOGY MARVEL
WORLD TECHNICAL
SPECIFICATIONS &
CERTIFICATIONS

ENJOY
THE VIDEO



Matte

Sensitech

The matte finish combines beauty and performance. Sensitech technology ensures slip resistance, ease of cleaning, and an original touch. | La finitura opaca coniuga estetica e performance. La tecnologia Sensitech offre resistenza allo scivolamento, facilità di pulizia e un'inedita gradevolezza al tatto.



Polished

Glossy, reflective finish that underscores the brightness of the background and the irregularities typical of Polished natural marble. | Finitura lucida e riflettente che esalta la luminosità del fondo e le irregolarità tipiche del marmo naturale lucidato.



Velvet

Velvtech

The Velvet surface replicates the effect of semi-Polished marble. It has a velvety touch and semi-opaque highlights. The natural character of the surface is highlighted by areas of different opacity perceptible in oblique or reflected light. | La superficie Velvet replica l'effetto di un marmo levigato. Si distingue per la mano vellutata e per i riflessi semi-opachi. La naturalezza della superficie è evidenziata da zone di diversa opacità percettibili in luce radente o riflessa.



Hammered

Sensitech

✂ 9 mm Matte
✂ 20 mm Outdoor

The Hammered surface reproduces the natural character of split marble as if just cut out of the quarry. | La superficie Hammered riproduce la naturalezza del marmo «a spacco» come appena uscito dalla cava.



INDEX	≡
INSPIRATION	>
DIAMOND DECOR DESIGNED BY ZAHA HADID ARCHITECTS	>
IMAGE GALLERY	>
SURFACE RANGE & TECHNICAL SPECS	>
SAFE CHOICE RANGE DESIGNED BY ZAHA HADID ARCHITECTS SENSITECH TECHNOLOGY MARVEL WORLD TECHNICAL SPECIFICATIONS & CERTIFICATIONS	
ENJOY THE VIDEO	▶



Porcelain tiles - Rectified monocaliber | Gres porcellanato - Rettificato monocalibro

Compliant with standards EN 14411 annex G group B

Compliant with standards ISO 13006 annex G group

Bla Conforme alla norma EN 14411 Appendice G

gruppo Bla Conforme alla norma ISO 13006

Appendice G gruppo Bla

160x320x2735²/₄"x126"

6 mm 120x240¹/₄"x109¹/₂"

9 mm 120x120¹/₄"x94¹/₂"

9 mm 60x120³/₈"x47¹/₄"

6 mm 60x120³/₈"x47¹/₄"

± 9 mm

± 9 mm

± 9 mm

± 9 mm

± 9 mm

75x150 cm - 29¹/₂"x59"

75x75 cm - 29¹/₂"x29¹/₂"

60x60 cm - 23⁵/₈"x23⁵/₈"

30x60 cm - 11³/₄"x23⁵/₈"

60x120 cm - 23⁵/₈"x47¹/₄"

± 9 mm

± 9 mm

± 9 mm

± 9 mm

± 20 mm

Technical features Caratteristiche tecniche	Test Method Metodo di prova	Requirements for nominal size N Requisiti per dimensione nominale N			Porcelain tiles			
		7 cm ≤ N < 15 cm	N ≥ 15 cm		Polished ± 6 mm	Polished Velvet ± 9 mm	Matte Sensitech ± 9 mm	Outdoor Sensitech ± 20 mm
		(mm) ± 0,9 (*)	(%) ± 0,6 (*)	(mm)				
 Length and width Lunghezza e larghezza Thickness Spessore	ISO 10545-2 ± 0,4 (***) Rect.	Non-rect. ± 0,4	Non-rect. ± 0,3	± 2,0 (*)	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		(*) Rect.	(*) Rect.	Non-rect. ± 1,0 (*) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		± 0,5	± 5 (**)	± 0,5	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		0,8 (***) Non-rect. ± 0,4 (***) Rect.	± 0,5 (***) Non-rect. ± 0,3 (***) Rect.	± 1,5 (***) Non-rect. ± 0,8 (***) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Straightness of sides Rettilinearità degli spigoli Rectangularity (Measurement only on short edges when L/I ≥ 3) Ortogonalità (Misurazione da condurre solo sui lati corti quando L/I ≥ 3)	ISO 10545-2 ± 0,4 (***) Rect.	± 0,8 (****) Non-rect. ± 0,4 (****) Rect.	(****) Non-rect. ± 0,3 (****) Rect. c.c. ± 0,5	± 2,0 (****) Non-rect. ± 1,5 (****) Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		c.c. ± 0,8 Non-rect. e.c. ± 0,8 Non-rect.	Non-rect. c.c. ± 0,4 Rect. e.c. ± 0,5	c.c. ± 2,0 Non-rect. c.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		ISO 10545-2 e.c. ± 0,6 Rect. Non-rect. w. ± 0,8	Non-rect. e.c. ± 0,4 Rect. w. ± 0,5 Non-rect. w. ± 0,4 Rect.	e.c. ± 2,0 Non-rect. e.c. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
		Non-rect. w. ± 0,6 Rect.	w. ± 0,5 Non-rect. w. ± 0,4 Rect.	w. ± 2,0 Non-rect. w. ± 1,8 Rect.	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme	Suitable for Conforme
 Surface flatness Planarità	c.c. ± 0,6 Rect. e.c. ± 0,6 Rect. Non-rect. w. ± 0,6 Rect.	Ev ≤ 0,5% Individual Maximum 0,6% Ev ≤ 0,5% Valore massimo singolo 0,6% Requirement ANSI			≤ 0,1 % ≤ 0,1 %		≤ 0,1 %	≤ 0,1 %
		A137.1 Water absorption max ≤ 0,5%			≤ 0,5 % ≤ 0,5 % ≤ 0,5 % ≤ 0,5 %			
 Breaking strength Sforzo di rottura Modulus of rupture Resistenza alla flessione	ISO 10545-4	S ≥ 700N (for thickness < 7,5 mm - per spessore < 7,5 mm) S ≥ 1300N (for thickness ≥ 7,5 mm - per spessore ≥ 7,5 mm) R ≥ 35 N/mm ²			S ≥ 1000 N ≥ 40 N/mm ²	S ≥ 1500 N R ≥ 40 N/mm ²	S ≥ 1500 N R ≥ 40 N/mm ²	S ≥ 10000 N R ≥ 45 N/mm ²
		EN 1339 Annex F -			-	-	-	≥ U4 60x120
 Impact resistance, as coefficient of restitution Resistenza all'impatto, espresso come coefficiente di restituzione	ISO 10545-5	Declared value Valore dichiarato			≥ 0,55	≥ 0,55	≥ 0,55	≥ 0,55
		ISO 10545-6			≤ 150 mm ₃	≤ 150 mm ₃	≤ 150 mm ₃	≤ 150 mm ₃
 Resistance to deep abrasion of unglazed tiles (removed volume) Resistenza all'abrasione profonda delle piastrelle non smaltate (volume materiale asportato)	ISO 10545-8	Declared value Valore dichiarato			≤ 7MK ₁	≤ 7MK ₁	≤ 7MK ₁	≤ 7MK ₁
		ISO 10545-9			Resistant Resistite	Resistant Resistite	Resistant Resistite	Resistant Resistite
 Thermal shock resistance Resistenza agli sbalzi termici	ISO 10545-10	Declared value Valore dichiarato			≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)	≤ 0,01% (0,1mm/m)
		ISO 10545-12			Resistant Resistite	Resistant Resistite	Resistant Resistite	Resistant Resistite
 Moisture expansion (in mm/m) Dilatazione all'umidità (in mm/m)	ISO 10545-12	Declared value Valore dichiarato			≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)	≥ 1,0 N/mm ² (Class C2 - EN 12004)
		ISO 10545-13			A1 - A1 _n	A1 - A1 _n	12004)	A1 - A1 _n
 Bond strenght /adhesion for Cementitious Adhesives Adesione mediante trazione su adesivi cementizi	EN 12004-2	Declared value Valore dichiarato			A1 - A1 _n	A1 - A1 _n	12004)	A1 - A1 _n
		-						
 Reaction to fire Reazione al fuoco	-	Class A1 or A1 _n Classe A1 oppure A1 _n			A1 - A1 _n	A1 - A1 _n	12004)	A1 - A1 _n
		ISO 10545-13			A A A A	A1 - A1 _n		
 Resistance to household chemicals and swimming pool salts Resistenza ai prodotti chimici di uso domestico e agli additivi per piscina	ISO 10545-13	Minimum Class B Classe minima B			LA	LA	LA	LA
		Declared Class Classe dichiarata			--	HA	HA	HA
 Resistance to low concentrations of acids and alkalis Resistenza a basse concentrazioni di acidi e alcali	ISO 10545-14	Declared Class Classe dichiarata			5	5	5	5
		Declared value Valore dichiarato			N.C.	N.C. R10		R11
 Shood Ramp Test Metodo della rampa "calzato"	DIN EN 16165 ANNEX B (EX DIN 51130)	Declared value Valore dichiarato			0 0 A+B			A+B+C
		Barefoot Ramp Test Metodo della rampa a piedi nudi			≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≤ 24 Wet	≥ 36 Dry ≥ 36 Wet	≥ 36 Dry ≥ 36 Wet
 Pendulum Friction Test Metodo del Pendolo	BS EN 16165 ANNEX C (EX BS 7976)	PTV ≥ 36 classifies the surface as "low slip risk"			--		Class P3	Class P4
		Declared Classification of the new pedestrian surface materials according to the Pendulum Test			-	-	Class C2	Class C3
 Coefficient of friction (COF) Coefficiente di attrito	ANSI A 326,3	-			dry DCOF ≥ 0,42	dry DCOF ≥ 0,42	wet DCOF ≥ 0,50	wet DCOF ≥ 0,55
		-						

*) The permissible deviation, in % or mm, of the average size for each tile (2 or 4 sides) from work size (WS). Deviazione ammissibile, in % oppure mm, della dimensione media di ogni piastrella (2 oppure 4 lati) dalla dimensione di lavoro (WS).

**) The maximum permissible deviation from straightness, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di rettilineità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti.


***) The maximum permissible deviation from rectangularity, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile di ortogonalità, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti. c.c. The maximum permissible deviation from centre curvature, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile della curvatura del centro, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS).

e.c. The maximum permissible deviation from edge curvature, in % or mm, related to the corresponding work sizes (WS). Deviazione massima ammissibile della curvatura dello spigolo, in % oppure mm, in rapporto alle dimensioni di fabbricazione (WS) corrispondenti. w. The maximum permissible deviation from warpage, in % or mm, related to diagonal calculated from the work sizes (WS). Deviazione massima ammissibile dello sverglamento, in % oppure mm, in rapporto alla diagonale calcolata secondo le dimensioni di fabbricazione (WS). (1). Determination of slip resistance of pedestrian surfaces; it does not cover sports surfaces and road surfaces for vehicles (skid resistance). Determinazione della resistenza allo scivolamento delle superfici pedonabili; non si applica alle pavimentazioni sportive ed alle pavimentazioni stradali veicolari.

(2). Anti-slip performance is guaranteed at the time of delivery of the product. Le prestazioni anti-slip vengono garantite al momento della consegna del prodotto. (4). For further details, please refer to outdoor design general catalogue. Per maggiori informazioni riferirsi al catalogo generale Outdoor Design.

(5). Only for products with 20 mm thickness. Solo per prodotti a 20mm di spessore. (●). PTV ≥ 36 Wet on demand / su richiesta (●●). P3 on demand / su richiesta (●●●). C2 on demand / su richiesta

Ethical identity



Made in Italy is not just a prestigious certification of style, design, and production excellence, but an identity that involves all aspects of its business. For this reason, we identify with the values expressed by Confindustria Ceramica's ethical code, which guarantee absolute compliance with labor regulations, and with the marks Made in Italy and Ceramics of Italy, which certify the quality of authentic Italian style.

Made in Italy non è solo un prestigioso attestato di stile, design ed eccellenza produttiva, ma un modo di essere che coinvolge tutti gli aspetti della propria attività. Per questo ci riconosciamo nei valori espressi dal codice etico di Confindustria Ceramica, che garantiscono il rispetto assoluto delle normative sul lavoro, e nei marchi Made in Italy e Ceramics of Italy, che certificano la qualità dell'autentico stile italiano.

Certifications

Company certifications



Product certifications




Atlas Concorde porcelain tiles and single-fired products can contribute towards earning points needed for LEED® certification.

Product declarations



Certifications for export to international markets*



INDEX



INSPIRATION



DIAMOND DECOR
DESIGNED BY
ZAHA HADID
ARCHITECTS



IMAGE
GALLERY



SURFACE RANGE
& TECHNICAL
SPECS SAFE CHOICE
COLLECTION RANGE
DIAMOND DECOR
DESIGNED BY ZAHA
HADID ARCHITECTS
SENSITECH
TECHNOLOGY MARVEL
WORLD



TECHNICAL
SPECIFICATIONS &

ENJOY
THE VIDEO

